

**MP**bolagen

## PRODUCTS FOR INSTALLATION OF SOLAR ENERGY SYSTEMS


MP bolagens solar panels in Ekenässjön. Effect 2095 kWp!



### **Long-term environmental efforts!**

MP bolagen actively working on environmental improvements, both in the production of cable management and in agriculture and forestry.

# Wire mesh trays for outdoor installation – maximum C4 environment




Roof support wire mesh trays recommended for installation - see image above.

## Wire mesh tray Z4 – 2,5 m

Width

75 mm	11 164 04
120 mm	11 164 16
200 mm	11 164 25
300 mm	11 164 34
400 mm	11 164 43
500 mm	11 164 52
600 mm	11 164 61



## Mounting bracket Z4

Universal bracket 11 165 34



## Angle bracket

For wire mesh trays 11 165 40

90 mm 11 153 85

200 mm 11 153 81



## Joints

Coupling piece 11 165 14



Corner splice 11 165 26



## Fastening screw 50 pcs/pack.

M8x16 mm 11 156 80



## Roof support wire mesh tray

Fits

120-200 mm 11 165 89




## Cover Z4

Width

Length

75 mm	3 m	11 171 65
120 mm	3 m	11 171 74
200 mm	3 m	11 171 78
300 mm	2 m	11 172 15
400 mm	2 m	11 172 16
500 mm	2 m	11 172 19
600 mm	2 m	11 172 20
Cover clip		11 166 61



Assembly instructions for Roof support wire mesh trays.

# Cable ladders for indoor installation – maximum C2 environment



## Cable ladder – 3 m

Width

200 mm	11 150 23
300 mm	11 150 26
400 mm	11 150 29
500 mm	11 150 32
600 mm	11 150 35



## Angle bracket/wall bracket

90 mm	11 153 85
200 mm	11 153 81



## Fastening screw 50 pcs/pack.

M8x16 mm	11 157 11
----------	-----------



## Joints

Extrenal splice	11 153 63
Internal splice	11 153 60
Universal link	11 153 74



## Concrete screws 100 pcs

7,5x50 mm	15 566 21
-----------	-----------



## Wall rail

700 mm sendzimirförz.	11 158 58
700 mm hot-dip galvaniz.	11 158 59



## Cover

Width


Length

200 mm	3 m	11 171 79
300 mm	2 m	11 171 97
400 mm	2 m	11 172 00
500 mm	2 m	11 172 03
600 mm	2 m	11 171 95
Cover clip		11 171 51



## Strapping profile – 2,5 m

30 mm Z4	11 160 01
15 mm aluminum	11 160 12



## Mounting profile – 2 m

Width

100 mm	11 160 34
150 mm	11 160 38
200 mm	11 160 42



## Mounting bracket

Universal bracket	11 165 34
-------------------	-----------



# Contact us!

## Your natural choice partner!

The email address is written according to the principle `firstname.lastname@mpbolagen.se`



**Viktor Karlsson**  
Sales Manger  
+46 (0)70-219 61 50



**Christian Antsvee**  
Key account manager  
+46 (0)70-689 05 39



**Anders Karlsson**  
Marketing Director  
+46 (0)383-76 36 12  
+46 (0)70-696 36 12



**Thomas Petersson**  
Salesperson,  
Stockholm  
+46 (0)70-753 70 64




**Ronnie Lundh**  
Salesperson,  
Stockholm  
+46 (0)72-748 78 88



**Kenneth Olofsson**  
Salesperson, north  
+46 (0)70-398 60 20



**Elias Kalla**  
Salesperson, north  
+46 (0)72-576 36 37



**Niklas Karlsson**  
Salesperson, middle  
+46 (0)70-377 36 03



**Fredrik Larsson**  
Salesperson, west  
+46 (0)70-248 58 39



**Gustav Petersson**  
Salesperson, east  
+46 (0)73-037 80 23



**Pontus Olsson**  
Salesperson, south  
+46 (0)73-715 55 96



**Johan Petersson**  
Export Manager  
Electrical prod.  
+46 (0)383-76 36 07  
+46 (0)70-576 36 07



**Patrik Hillström**  
Product Manager, steel  
+46 (0)383-76 36 16  
+46 (0)70-661 12 55



**Peter Fuchs**  
In-house sales  
Manager  
+46 (0)383-76 36 09  
+46 (0)72-576 36 09



**Marcus Gunnevik**  
In-house salespers.  
+46 (0)383-76 36 10  
+46 (0)70-336 25 02



**Johannes Nordlund**  
In-house salespers.  
+46 (0)383-76 36 05  
+46 (0)73-324 40 40



**Christian Boman**  
In-house salespers.  
+46 (0)383-76 36 22  
+46 (0)70-225 91 08



**Susanne Sixtensson**  
Orders  
+46 (0)383-76 36 11



**Eva Ferenczy**  
Orders  
+46 (0)383-76 36 18



**Maria Johansson**  
Sales assistant  
+46 (0)383-76 36 01